Endoscopic Removal of Bag Runner



Case scenario



A 27 days old neonate, only 3 kg, was presented with the complaints of:


☐ Accidental ingestion of bag runner which was introduced by his own brother of 5 years

Case scenario


After admission in chest hospital for 3 days, finally referred to Bangladesh Shishu Hospital & Institute (BSHI)



We performed an X-ray on an emergency basis



Endoscopy Video



Endoscopy Report

BANGLADESH SHISHU HOSPITAL & INSTITUTE Sher-e-bangla Nagar, Dhaka-1207

Identity No.	00001814	Visit Date	22 March, 2025
Identity No. Patient Name History Referrer	Jafrin	Age / Sex	0.1 / Female
History	Foreign Body Ingestion	Instrument	Olympus CV-190
Referrer	OPD	Bed	OPD

ENDOSCOPIC PROCEDURE REPORT







Procedure: UPPER GI Endoscopy

Indication: Foreign Body Ingestion

Medication: Inj. Midazolam I/V Slowly

FINDINGS:

- Esophagus: The mucosa, vascular pattern, lumen and peristalsis appeared normal. Upper & Lower esophageal sphincters are normal in position and function.
- Stomach: A foreign body (metallic zipper runner) was found in body of the stomach. During procedure it was removed successfully by foreign body roth net.
- . Duodenum: Not seen.

COMMENTS: Endoscopic removal of foreign body (metallic zipper runner).

Prof. Dr. Salahuddin Mahmud MBBS, MD (Pediatrics)

Fellow training in Ped. Endoscopy Apollo Hospital, New Delhi (India) Sheffield Children Hospital (UK) Pediatric Gastroenteorology Hepatology & Nutrition

Prof. Dr. Syed Shafi Ahmed DCH, MD, FRCP, PhD Fellow training in Ped. Endoscopy Apollo Hospital, New Delhi (India) Sheffield Children Hospital (UK)

Professor & Head Pediatric Gastroenteorology, Hepatology & Nutrition






During removal



eloped by: T. H. RNYAD | www.bissoft.net | Distributed by: AL-FATAH INTERNATIONAL | Phone: +880-2-9676101 | Fax: +880-2-9676881 | Email: info@alfatah-b





After Removal of Bag Runner



Ped Gastro Team

