Endoscopic Removal of Brooch



Case scenario




□ A 1 years 4 months old child, only 8.1 kg, was presented with the complaints of:





☐ Accidental ingestion of Brooch during playing time

X-ray P/A & Lateral View





International Recommendation

☐ If foreign body having sharp end, then:

☐ Urgent removal of foreign body

Instruments for Endoscopic removal


Rat tooth forceps




After Removal




Brooch





After Removal

Endoscopy Report



Identity No.	00001773	Visit Date	23 February, 2025
Patient Name	MD.Shehezad Sarkar	Age / Sex	1.4 / Male
History	Foreign Body Ingestion (Bronze)	Instrument	N/A
Referrer	Prof. Dr.Sved Shafi Ahmed	Bed	W-15 . B-15

ENDOSCOPIC PROCEDURE REPORT









Procedure: UPPER G. I. TRACT ENDOSCOPY

Indication: Foreign body ingestion (Bronze)

Medication: Inj. Midazolam I/V Slowly

• Oesophagus:

The mucosa, vascular pattern, lumen and peristalsis appeared normal. Upper & Lower oesophageal sphincters are normal in position and function. There was a foreign body(Bronze) struck in middle of the esophagus. After romoval ulceration was noted.

- The body , fundus & pylorus of the stomach appeared normal.
- · Duodenum:

The bulb, post-bulbar area appeared normal.

COMMENTS: Endoscopic removal of foreign body (Bronze) was done successfully.

Fellow training in Ped. Endoscopy Apollo Hospital, New Delhi (India) Shoffield Children Hospital (UK) Pediatric Gastroenteorology Hepatology & Nutrition

Prof. Dr. Salahuddin Mahmud
MBBS, MD (Pediatrics)

Prof. Dr. Syed Shafi Ahmed
DCH, MD, FRCP, PhD

Fellow training in Ped. Endoscopy Apollo Hospital, New Delhi (India) Sheffield Children Hospital (UK) Professor & Head Pediatric Gastroenteorology, Hepatology & Nutrition







Daveloped by T. H. RITAD | www.tissoft.rot | Distributed by: AL-FAYAH INTERNATIONAL | Proces: 4880.29676101 | Faz: 4880.29776381 | Emill. Integration

Endoscopy Video



Ped Gastro Team



THANK YOUALL &

